

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
Preliminary Inputs				
Exposure Duration	30	1	1	Yearly dose estimates calculated.
Site Layout				
X dimension of Primary Contamination	100	240	467	Google® Maps used to estimate distances using satellite images.
Y dimension of Primary Contamination	100	290	280	
Non-Leafy Plot (Smaller / Larger)	X: 34.375 / 65.625	X: 0 / 1	X: 0 / 1	
	Y: 234 / 266	Y: 0 / 1	Y: 0 / 1	
Leafy Plot (Smaller / Larger)	X: 34.375 / 65.625	X: 0 / 1	X: 0 / 1	
	Y: 234 / 266	Y: 0 / 1	Y: 0 / 1	
Pasture (Smaller / Larger)	X: 0 / 100	X: -425 / 810	X: 0 / 715	
	Y: 450 / 550	Y: -0 / 860	Y: -685 / 715	
Grain (Smaller / Larger)	X: 0 / 100	X: 0 / 1	X: 0 / 1	
	Y: 300 / 400	Y: 0 / 1	Y: 0 / 1	
Dwelling (Smaller / Larger)	X: 34.375 / 65.625	X: 80 / 187	X: 0 / 120	
	Y: 134 / 166	Y: 0 / 107	Y: 95 / 190	
Surface-water Body (Smaller / Larger)	X: -100 / 200	X: -425 / 810	X: 311 / 467	
	Y: 550 / 850	Y: 860 / 910	Y: -175 / -58	
Distribution Coefficients				
Ac-227	20	n/a	n/a	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Am-241	20	n/a	n/a	
Cs-137	4600	Sediment: 480	Sediment: 480	
		All others: 280	All others: 280	
Np-237	257	n/a	n/a	
Pa-231	50	n/a	n/a	
Pu-239	2000	n/a	n/a	
Sr-90	30	n/a	Sediment: 15	
			All others: 5	
Th-229	60000	n/a	n/a	
U-233	50	n/a	n/a	
U-235	50	n/a	n/a	
Pathways				
Include	External, Inhalation, Plant Ingestion, Meat Ingestion, Milk Ingestion, Aquatic Foods, Drinking Water, Soil Ingestion	External, Inhalation, Meat Ingestion, Drinking Water, Soil Ingestion	External, Inhalation, Meat Ingestion, Drinking Water, Soil Ingestion	No consumption of fish based on land use surveys. Meat consumption for Area 1 is assumed to be deer meat. No livestock to produce milk is available for Area 1.
Physical and Hydrological				
Precipitation	1	1.16	1.16	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
Wind Speed	0.89 (calculated)	Wind Rose	Wind Rose	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Table 3-10: Wind Speed and Direction Frequency Distributions at 10 Meters.
Primary Contamination				
Length of contamination parallel to aquifer flow	100	165	165	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C; Selected to achieve site specific groundwater dilution factor of 0.2, based on DEIS groundwater model correlation.
Irrigation	0.2	0	0	No crops produced.
Evapotranspiration coefficient	0.5	0.62	0.62	Based on the Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C; Evapotranspiration and runoff coefficients selected to achieve infiltration rate of 0.26 m/y.
Runoff	0.2	0.41	0.41	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C; Evapotranspiration and runoff coefficients selected to achieve infiltration rate of 0.26 m/y.
Thickness	2	1	1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Total Porosity	0.5	0.36	0.36	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Dry bulk density	1.5	1.7	1.7	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Soil erodibility factor	0.4	0.5	0.5	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. Set to 0.5 for Area 2 to maximize surface water pathway associated with deer drinking water. Set to zero for Area 3 to ensure no source depletion as there are no pathways for exposure associated with surface water.
Field Capacity	0.3	0.2	0.2	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
B parameter	5.3	1.4	1.4	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Hydraulic conductivity	10	140	140	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
Effective Porosity	0.4	0.25	0.25	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
<b>Agricultural Areas</b>				
Irrigation	Non-Leafy: 0.2	Non-Leafy: 0	Non-Leafy: 0	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Leafy: 0.2	Leafy: 0	Leafy: 0	
	Pasture: 0.2	Pasture: 0	Pasture: 0	
	Grain: 0.2	Grain: 0	Grain: 0	
	Dwelling: 0.2	Dwelling: 0	Dwelling: 0	
Evapotranspiration coefficient	Non-Leafy: 0.5	Non-Leafy: 0.62	Non-Leafy: 0.62	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. Evapotranspiration and runoff coefficients selected to achieve infiltration rate of 0.26 m/y.
	Leafy: 0.5	Leafy: 0.62	Leafy: 0.62	
	Pasture: 0.5	Pasture: 0.62	Pasture: 0.62	
	Grain: 0.5	Grain: 0.62	Grain: 0.62	
	Dwelling: 0.5	Dwelling: 0.62	Dwelling: 0.62	
Runoff	Non-Leafy: 0.2	Non-Leafy: 0.41	Non-Leafy: 0.41	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. Evapotranspiration and runoff coefficients selected to achieve infiltration rate of 0.26 m/y.
	Leafy: 0.2	Leafy: 0.41	Leafy: 0.41	
	Pasture: 0.2	Pasture: 0.41	Pasture: 0.41	
	Grain: 0.2	Grain: 0.41	Grain: 0.41	
	Dwelling: 0.2	Dwelling: 0.41	Dwelling: 0.41	
Dry bulk density	Non-Leafy: 1.5	Non-Leafy: 1.7	Non-Leafy: 1.7	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Leafy: 1.5	Leafy: 1.7	Leafy: 1.7	
	Pasture: 1.5	Pasture: 1.7	Pasture: 1.7	
	Grain: 1.5	Grain: 1.7	Grain: 1.7	
	Dwelling: 1.5	Dwelling: 1.7	Dwelling: 1.7	
Soil erodibility factor	Non-Leafy: 0.4	Non-Leafy: 0	Non-Leafy: 0	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Leafy: 0.4	Leafy: 0	Leafy: 0	
	Pasture: 0.4	Pasture: 0.5	Pasture: 0.5	
	Grain: 0.4	Grain: 0	Grain: 0	
	Dwelling: 0	Dwelling: 0	Dwelling: 0	
<b>Atmospheric Transport</b>				
Joint Metrological Data (Wind Speed/ Stability class frequency)	n/a	Wind Rose	Wind Rose	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Table 3-10: Wind Speed and Direction Frequency Distributions at 10 Meters
<b>Unsaturated Zone Hydrology</b>				
Thickness	4	2	2	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Dry bulk density	1.5	1.7	1.7	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Total Porosity	0.4	0.36	0.36	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Effective Porosity	0.2	0.25	0.25	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Field Capacity	0.3	0.2	0.2	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
Hydraulic conductivity	10	140	140	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
B parameter	5.3	1.4	1.4	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Saturated Zone Hydrology				
Dry bulk density	1.5	1.7	1.7	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Total Porosity	0.4	0.36	0.36	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Effective Porosity	0.2	0.25	0.25	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Hydraulic conductivity	100	1400	1400	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Hydraulic Gradient	0.02	0.03	0.03	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Depth of aquifer contributing	10	5	5	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Water Usage				
Consumption	510	730	730	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Number of Humans	4	4	4	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Dwelling	225	225	225	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Beef Cattle	50	50	50	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Number of Beef Cattle	2	5	5	Area 1 beef cattle represent deer; Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Surface/Well	0/1	Jan-00	Jan-00	Assumed deer drink from surface water locations.
Dairy Cattle	160	0	0	No dairy cattle in Area 1.
Number of Dairy Cattle	2	0	0	No dairy cattle in Area 2; Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Irrigation Non-Leafy	0.2	0	0	No crop field.
Irrigation Leafy	0.2	0	0	No crop field.
Irrigation Pasture	0.2	0	0	No irrigation of pasture area.
Irrigation Grain	0.2	0	0	No crop field.
Irrigation Dwelling	0.2	0	0	No irrigation of dwelling.
Well Pump Rate	5100	1394	1394	$1394 \text{ m}^3/\text{y} = 730 \text{ L/d} \times 4 \text{ humans} + 225 \text{ L/d} \times 4 \text{ humans}$
Surface Water Body				

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
Volume	150000	61750	17940	Based on Surface-water Body layout and an average water depth of 1 meter.
<b>Ingestion Rates</b>				
Drinking Water Consumption Rate/Fraction Affected	510/1	730/1	730/1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Fish Consumption Rate/Fraction Affected	5.4/0.9	0/1	0/1	No consumption of fish based on land use surveys.
Crustacea Consumption Rate/Fraction Affected	0.9/0.5	0/1	0/1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Non-Leafy Consumption Rate/Fraction Affected	160/0.5	0/1	0/1	No non-leafy vegetation grown.
Leafy Consumption Rate/Fraction Affected	14/0.5	0/1	0/1	No leafy vegetation grown.
Meat Consumption Rate/Fraction Affected	63/1	65/1	65/1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. For Area 1, meat consumption represents deer meat.
Milk Consumption Rate/Fraction Affected	92/1	0/1	0/1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. There are no dairy cattle in Area 1.
Soil Consumption Rate	36.5	18.3	18.3	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
<b>Livestock Intakes</b>				
Water	Beef: 50	Beef: 50	Beef: 50	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. There are no dairy cattle in Area 1. Beef cattle represent deer.
	Dairy: 160	Dairy: 0	Dairy: 0	
Pasture	Beef: 14	Beef: 2.25	Beef: 2.25	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. There are no dairy cattle in Area 1. Beef cattle represent deer.
	Dairy: 44	Dairy: 0	Dairy: 0	
Grain	Beef: 54	Beef: 0	Beef: 0	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. There are no crops in Area 1.
	Dairy: 11	Dairy: 0	Dairy: 0	
Soil from Pasture	Beef: 0.1	Beef: 0.5	Beef: 0.5	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C. There are no dairy cattle in Area 1. Beef cattle represent deer.
	Dairy: 0.4	Dairy: 0	Dairy: 0	
Soil from Grain	Beef: 0.4	Beef: 0	Beef: 0	Phase 1 Decommissioning Plan for the West Valley Demonstration

Attachment H3: RESRAD-Offsite 3.1 Inputs Parameters for Area 1 that differ from defaults

Parameter	RESRAD-Offsite Default	Area L12	Area L23	Basis
	Dairy: 0.1	Dairy: 0	Dairy: 0	Project Rev 2 Attachment C. There are no crops in Area 1.
Livestock Feed Factors				
Wet weight crop yield	Pasture: 1.1	Pasture: 1.1	Pasture: 1.1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Grain: 0.7	Grain: 0.7	Grain: 0.7	
	Non-leafy: 0.1	Non-leafy: 1.75	Non-leafy: 1.75	
	Leafy: 1.5	Leafy: 1.5	Leafy: 1.5	
Weathering removal constant	Pasture: 20	Pasture: 18	Pasture: 18	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Grain: 20	Grain: 18	Grain: 18	
	Non-leafy: 20	Non-leafy: 18	Non-leafy: 18	
	Leafy: 20	Leafy: 18	Leafy: 18	
Foliar interception factor for irrigation	Pasture: 0.25	Pasture: 0.25	Pasture: 0.25	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Grain: 0.25	Grain: 0.25	Grain: 0.25	
	Non-leafy: 0.25	Non-leafy: 0.25	Non-leafy: 0.25	
	Leafy: 0.25	Leafy: 0.67	Leafy: 0.67	
Root depth	Pasture: 0.9	Pasture: 0.9	Pasture: 0.9	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
	Grain: 1.2	Grain: 0.9	Grain: 0.9	
	Non-leafy: 1.2	Non-leafy: 0.9	Non-leafy: 0.9	
	Leafy: 0.9	Leafy: 0.9	Leafy: 0.9	
Inhalation and External Gamma				
Mass loading	0.0001	0.0000148	0.0000148	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Indoor to outdoor	0.4	1	1	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
External gamma penetrating factor	0.7	0.273	0.273	Phase 1 Decommissioning Plan for the West Valley Demonstration Project Rev 2 Attachment C.
Occupancy				
Primary contamination indoor	0	0.8333	0.8333	8 hours per day sleep + 8 hours per day work in the house + 50% of rest of the hours in a year.
Primary contamination outdoor	0	0.1667	0.1667	8760 hours per year – Primary contamination indoor hours per year
Offsite dwelling indoor	0.5	0	0	n/a
Offsite dwelling outdoor	0.1	0	0	n/a
Non-leafy vegetable fields	0.1	0	0	There are no crops in Area 1.
Leafy vegetable fields	0.1	0	0	There are no crops in Area 1.
Pasture and silage fields	0.1	0	0	Pasture are consists of other residential properties. Therefore, an individual would not roam throughout the define pasture area.
Livestock grain fields	0.1	0	0	There are no livestock in Area 1.